


CONTROL APPROVAL SYMBOL
SPMCS- 85



WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES

WEEK ENDED 3 MAY 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE INJURY

SPECIAL SECTION
ON
VENEREAL DISEASE

ARMY
MEDICAL
MAY 24 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 3 MAY 1946

	PAGE
NATURE OF THE DATA.	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	14
STATIONS WITH HIGHEST MORBIDITY RATES	19
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	20

VENEREAL DISEASE ADMISSION RATES IN MARCH 1946

ANALYSIS OF VENEREAL DISEASE DATA.	21
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE	29

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (X) is placed after the name of the station.

MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM DISEASE

COLDS INFLUENZA ETC.

RESTRICTED

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See chart on Page 3.)

Morbidity from all causes during the week ended 3 May decreased slightly, being reported at 604 admissions per 1000 troops per annum, as compared with 616 such admissions during the preceding week.

Injury: (See chart on Page 3.)

Injury admissions increased to 41 per 1000 troops per annum; highest rate was that reported from the Eighth Service Command (52 per 1000), ranging down to 21 per 1000 in the Military District of Washington.

Diseases:

(See chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 581 to 563 admissions per 1000 troops per annum. Only in the Second Service Command was a relatively large increase observed; this increase is attributable chiefly to a sharp rise in the number of venereal disease admissions reported from Camp Kilmer, New Jersey.

Respiratory Diseases:

(See charts on opposite page and Pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 114 per 1000 to 103 per 1000. Increases are noted in the First and Fifth Service Commands. Morbidity from these causes was highest in the Military District of Washington.

Admissions for all forms of pneumonia increased from 14 to 16 per 1000 troops per annum, increases occurring in all service commands except the First and Eighth. Highest morbidity (27 admissions per 1000 troops per annum) was reported from the Seventh Service Command; rates ranged downward to 7 per 1000 (only 4 cases) in the First Service Command.

Rates for pneumonias other than primary atypical increased during the week from 4.1 to 4.9 per 1000 troops per annum. In the corresponding periods of last year, this rate was 2.6 and 3.0 per 1000, while it moved from 5.4 to 4.6 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases decreased slightly during the week, from 87 to 85 per 1000 troops per annum.

Other Communicable Diseases:

Rates for scarlet fever continued high; however, the current week's rate of 10 per 1000 represents a decrease under that reported in the previous week (11 per 1000).

The rate for rheumatic fever dropped to 3.4 admissions per 1000 troops per annum during the current week, compared with the previous week's rate of 4.2.

Admissions for streptococcal sore throat increased during the week from 2.9 to 3.8 per 1000 troops per annum.

MORBIDITY AT TRAINING CENTERS: (See table on Page 13)





It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located

VARIATIONS BY SERVICE COMMAND


MORBIDITY FROM

— ALL CAUSES

— COLDS, INFLUENZA, ETC.



VARIATIONS BY SERVICE COMMAND (CONT.)



COMMENT ON CURRENT TRENDS (CONT.)

are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about 15 per cent; this rate decreased during the week by about 5 per cent at stations having training centers, and by 2 per cent at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while 85 per cent higher than that at other stations, decreased by about 20 per cent during the week. Rates at ASFTC's fell below those at Ground Force centers, but remained above Air Force centers rates.

Admissions for pneumonia at training center stations as a whole increased from 29 to 31 per 1000 troops per annum, contrasting with the rate of 9 at other stations.

Morbidity from scarlet fever at stations having training centers decreased from 27 to 22 admissions per 1000 troops per annum. The rate for rheumatic fever also decreased during the week (7 to 6 admissions per 1000 troops per annum) at stations having training centers.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See chart on Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 42.0 per 1000 troops for the week ended 3 May as compared with 33.1 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 3 MAY 1946:

(See chart on Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 87,624 as compared with 88,042 at the end of the previous week.

The number of neuropsychiatric cases remaining was 5802 or about 300 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 16,000. Battle wounded remaining decreased by about 750 to 19,778.


CERTIFICATES OF DISABILITY FOR DISCHARGE:

(See chart on Page 10.)

In the week ended 3 May there were 1855 enlisted personnel discharged by CDD (about 70 more than the previous week). These discharges included 66 accomplished at Air Force medical activities. Among them were 432 neuropsychiatric cases.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	ADMISSIONS																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		SCARLET FEVER		VENEREAL (EXCL. EPTI)					
CURRENT WEEK COMPARED WITH PREVIOUS WEEK																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week**	Previous Week**	
TOTAL UNITED STATES	1195731	1229534	604	616	563	581	41	35	103	114	16	14	10	11	85	87	42	42	
FIRST SERVICE COMMAND	31241	33376	534	465	504	435	30	30	82	69	7?	9	3?	6?	43	31	46	46	
SECOND SERVICE COMMAND	110484	115854	805	706	769	681	36	25	99	97	9	8	7	4	139	88	50	46	
THIRD SERVICE COMMAND	127078	135180	770	756	734	731	36	25	138	191	22	15	20	27	97	126	41	41	
MIL. DIST. OF WASHINGTON	45348	45221	566	610	545	584	21	26	147	151	16	15	10	16	60	51	45	45	
FOURTH SERVICE COMMAND	217665	229241	544	602	503	560	41	42	54	61	23	22	3	8	134	145	42	41	
FIFTH SERVICE COMMAND	94264	96275	629	624	583	587	46	37	137	113	14	10	25	16	49	69	41	40	
SIXTH SERVICE COMMAND	81382	82929	495	49	447	467	48	32	116	115	21	16	4	6	47	45	33	33	
SEVENTH SERVICE COMMAND	85455	86207	557	635	518	596	39	39	131	157	27	25	18	27	56	66	44	45	
EIGHTH SERVICE COMMAND	218854	218978	586	601	534	562	52	39	107	124	13	16	5	5	49	62	39	40	
NINTH SERVICE COMMAND	183960	186273	543	564	505	526	38	38	88	105	7	5	8	6	90	75	43	43	
CURRENT YEAR TO DATE COMPARED WITH CORRESPONDING PERIOD PREVIOUS YEAR																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year***	Previous Year***	
TOTAL UNITED STATES	1595243	2878074	628	637	597	587	31	50	165	160	17	13	8	2	75	43	80	81	
FIRST SERVICE COMMAND	52628	79610	542	680	514	634	28	46	132	155	9	7	5	1	36	53	139	125	
SECOND SERVICE COMMAND	150160	180901	659	691	633	648	26	43	136	158	13	10	3	2	67	50	101	109	
THIRD SERVICE COMMAND	161616	184889	791	683	763	643	28	40	254	160	20	12	17	2	104	61	66	93	
MIL. DIST. OF WASHINGTON	47910	51429	760	633	735	592	25	41	290	176	28	8	26	1	43	21	77	71	
FOURTH SERVICE COMMAND	318164	702649	563	625	530	564	33	61	115	136	21	15	6	1	114	47	67	70	
FIFTH SERVICE COMMAND	116972	137242	583	660	554	615	29	45	119	200	12	15	9	2	64	50	102	171	
SIXTH SERVICE COMMAND	97678	103537	554	668	525	633	29	35	120	183	18	20	6	8	53	48	119	130	
SEVENTH SERVICE COMMAND	128594	266167	723	590	698	551	25	39	246	147	19	10	19	4	58	41	82	81	
EIGHTH SERVICE COMMAND	263252	700724	629	639	593	583	36	56	200	185	17	16	7	2	63	37	67	57	
NINTH SERVICE COMMAND	258269	470926	584	627	545	575	39	52	133	149	11	8	4	2	62	38	68	73	

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 18
WEEK ENDING 3 May 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1195731	154	260	220	10	79	259	61	5	234	83	87	155	48	28	19	1	1855
FIRST SERVICE COMMAND	31241	1	2	2			4	1	1	2	1	1	4	1		1		91
SECOND SERVICE COMMAND	110484	7	7	14	2	7	15	9		12	6	6	33	4	2	2		250
THIRD SERVICE COMMAND	127078	24	28	50	3	18	47	5		17	17	11	47	4	1	2	1	100
MIL. DIST. OF WASHINGTON	45348	4	13	9		2	10	2	1	8	1	1		7	7			62
FOURTH SERVICE COMMAND	217665	14	29	11		11	87	13		34	9	2	17	5	2	3		330
FIFTH SERVICE COMMAND	94264	2	11	46			12	2		23	3	3	3	2	1	1		243
SIXTH SERVICE COMMAND	81382	8	12	7		3	14	7		9	4	1	8	4	3	1		160
SEVENTH SERVICE COMMAND	85455	11	16	29	2	19	28	1		20	10	21	8	5	5			149
EIGHTH SERVICE COMMAND	218854	47	64	23	3	11	30	13		76	28	36	22	7	4	3		243
NINTH SERVICE COMMAND	183960	36	78	29		8	12	8	3	33	4	5	13	9	3	6		227
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1229534	183	220	258	5	100	241	83	7	241	96	68	150	52	37	14	1	1789
FIRST SERVICE COMMAND	33376	2	5	4		2	3	6		8	2		4	1	1			67
SECOND SERVICE COMMAND	115854	14	8	9		8	14	22	4	26	5	3	28	4	3	1		228
THIRD SERVICE COMMAND	135180	26	15	70		11	32	10		12	22	10	30	2	2			76
MIL. DIST. OF WASHINGTON	45221	10	15	14		13	6	2	1	4	2	1		4	4			25
FOURTH SERVICE COMMAND	229241	19	19	35		10	87	13		36	12	4	18	13	7	6		354
FIFTH SERVICE COMMAND	96275	6	17	29	2	3	8	3		14	5	3	6	5	2	2	1	133
SIXTH SERVICE COMMAND	82929	4	12	10		14	14	6		10	5	3	3	3	2	1		164
SEVENTH SERVICE COMMAND	86207	24	17	45	1	20	38	4		17	11	29	5	4	4			228
EIGHTH SERVICE COMMAND	213978	42	48	21	1	13	30	9	1	63	24	14	23	11	9	2		237
NINTH SERVICE COMMAND	186273	36	64	21	1	6	9	8	1	51	8	1	33	5	3	2		277

FORM SG-396C REVISED 2 DEC. 1944

*SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

SUMMARY OF TRAINING CENTERS

	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER ANNUM														
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	
TOTAL UNITED STATES	1195731	604	563	41	103	16	4	85	7	11	10	0	3	11	3	
Stations without Training Centers	821982	574	529	45	81	9	4	92	4	8	4	0	2	6	3	
Stations having Training Centers	373749	672	639	33	149	31	3	69	12	19	22	1	6	24	1	
Stations having ASFTC's ^{1/}	214790	705	677	28	147	27	0	90	17	26	23	1?	7	20	1?	
Stations having AAFBTC's ^{2/}	41851	527	497	30	138	37	0	17	7	14	11	0	11	31	0	
Stations having AGFRTC's ^{3/}	117108	663	620	43	156	36	9	51	5	9	22	0	2?	29	3	
		^{1/} ARMY SERVICE FORCES TRAINING CENTERS.														
		^{2/} ARMY AIR FORCES BASIC TRAINING CENTERS.														
		^{3/} ARMY GROUND FORCES REPLACEMENT TRAINING CENTERS.														
				</												

RESTRICTED

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIRST SERVICE COMMAND	31241	534	504	30	82	7?	3?	43	1	2	2			4	1	1		1	91
											3?								
Devens, Ft., Mass. 4/	12060	530	526	4?	73			17?	4?						1				
Westover Field, Mass.	5853	444	373	71	80	9?	9?	71		1	1			1		1		1	
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	13328	577	542	35	90	12?	4?	55		1	1			3					91
SECOND SERVICE COMMAND	110484	805	769	36	99	9	16	139	7	7	14	2	7	15	9	4	2	2	250
Dlx, Ft., N.J. 4/	43623	705`	695	10	68	4?		35	2	1	1			3	2				6
Kilmer, Co., N.J.	13982	1771	1749	22	86	11?		830	1	4	2			2	2				6
Mitchel Field, N.Y. (RH)	5170	523	463	60	40?			20?		1		1							4
Monmouth, Ft., N.J.	7076	845	794	51	404	29?	37?	37?			3		4	3					4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	40633	609	546	63	91	12	36	46	4	1	8	1	3	7	5	4	2	2	230
THIRD SERVICE COMMAND	127078	770	734	36	138	22	2?	97	24	28	50	3	18	47	5	4	1	2	100
Aberdeen Prov. Grd., Md. 1/	24807	977	937	40	214	31		82	15	7	21		3	15					4
Eustis, Ft., Va. 1/	14214	1029	970	59	274	26		132	4	8	3	1	1	7					
Geo. G. Meade, Ft., Md. (RH) 4/	24277	619	608	11?	34	13	2?	135	2	2	2		3	3	4				16
Lee, Co., Va. (RH) 1/	37068	680	666	14	123	32		107	3	10	22	2	11	22	1				11
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	26712	703	627	76	109	4?	6?	43		1	2					4	1	2	69

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY 000	
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES										
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M*COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE		INJURY
MILITARY DISTRICT OF WASH.	45348	566	545	21	147	16		60	4	13	9		2	10	2	7	7		62
Belvoir, Ft., Va. (RH) 1/	18567	577	566	11?	176	34		98	2	7	9		1	9					3
Washington Gen. Disp., D.C.	7366	395	374	21?	148			7?		2					1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19415	618	589	29	118	5?		43	2	4			1	1	1	7	7		59
FOURTH SERVICE COMMAND	217665	544	503	41	54	23	2	134	14	29	11		11	87	13	5	2	3	330
Benning, Ft., Ga. (RH)	23433	666	624	42	53	9?		240	1	3				1	2	1		1	7
Bragg, Ft., N.C. (RH) 3/ 4/	32780	533	500	33	30	5?		84	2	5	1		3	3	3	1		1	14
Greensboro AAFORD, N.C.	12188	555	504	51	55	30	4?	115	2	2	2		1	5					1
Jackson, Ft., S.C.	14066	547	499	48	4?			281											3
Keesler Field, Miss. (RH) 2/	22244	414	388	26	129	44		5?	2		1		4	19					6
McClellan, Ft., Ala. 3/ (RH)	27965	616	562	54	87	106	9?	60		6	7			52	2				20
McPherson, Ft., Ga. 4/	11591	610	597	13?	85	13?		103	1	3				3	2	1		1	
Shelby, Cp., Miss. # 4/	9285	1048	1031	17?	39	6?		829		1				1					3
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	64113	430	381	49	32	3?	2?	74	6	9			3	3	4	2	2		276

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY GDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	94264	629	583	46	137	14	7	49	2	11	46			12	2	2	1	1	243
Atterbury, Cp., Ind. 4/	25589	563	559	47	63	47		49	1					1					
Campbell, Cp., Ky. (RH)	17041	463	378	85	18	127	37	34						3		1	1		2
Dayton, Ohio AAF, Tech.Base	5663	542	459	83	92	287		110	1	1				3					7
Knox, Ft., Ky. (RH) 3/	25542	863	814	49	348	29	20	22		7	41			2		1		1	7
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	20429	578	527	51	79	87	57	76		3	5			3	2				227
SIXTH SERVICE COMMAND	81382	495	447	48	116	21	17	47	8	12	7		3	14	7	4	3	1	160
Chanute Field, Ill. (RH)	10302	519	469	50	192	57		207	2	6	1		2						
McCoy, Cp., Wis.	7484	779	737	42	104	49		97		1				7	3				1
Scott Field, Ill. (RH)	18460	594	518	76	228	28		37	3	2	5				1				4
Sheridan, Ft., Ill. (RH) 4/	23433	340	320	20	36	16		49	1		1		1	1		1		1	2
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	21703	467	412	55	74	19	27	50	2	3				6	3	3	3		153

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
SEVENTH SERVICE COMMAND	85455	557	518	39	131	27		56	11	16	29	2	19	28	1	5	5		149
Buckley Field, Colo. (RH)	6584	1391	1288	103	442	87		63	6	1	8		7	1					6
Crowder, Co., Mo. (RH) 1/	16113	629	610	19	249	116		29		10	12	1	6	21		1	1		17
Jefferson Bks., Mo. 4.	6051	524	490	34?	177			103				1							
Leavenworth, Ft., Kans. 4/	11867	491	478	13?	22?	18?		88	2					4					4
Lowry Field, Colo.	6081	436	376	60	137			51		1									
Snelling, Ft., Miss. 4/	5082	297	287	10?	82			31?		2									
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	33677	449	403	46	80	5?		53	3	2	9		6	2	1	4	4		122
EIGHTH SERVICE COMMAND	218854	586	534	52	107	13	3	49	47	64	23	3	11	30	13	7	4	3	243
Amarillo AAF, Tex. (RH)	7855	875	815	60	364	33?		20?	5	2	7			1					
Bliss, Ft., Tex. 3/ 4/	15356	752	742	10?	217	3?	17?	44	9	2			1	1					
Chaffee, Co., Ark. 4/	9020	524	484	40	6?	23?	6?	40	1					3	1				2
Hood, Co., Tex.	14873	594	538	56	52	7?		31	3	8	2		1	2	3				4
Jos. T. Robinson, Co., Ark.(RH) 2/	14962	605	539	66	177	24	3?	21	1		1	1		7	1				5
Polk, Co., La. 1/	18316	937	860	77	131	6?		31	11	18									2
Sam Houston, Ft., Tex. 1/ 4/	27191	505	472	33	50	2?		84	4	2		1	1	1	1				
San Antonio AAF, Tex. (RH)(CH)	24567	480	455	25	125	17	6?	28	6	13	3		1	1	2				18
Sheppard Field, Texas (RH) 2/	19607	655	621	34	149	29		32	4	11	8		5	6					9
Sill, Ft., Okla.	7427	406	378	28?	21?			49							1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	59680	480	401	79	64	12	2?	71	3	8	2	1	2	8	4	7	4	3	203

FORM 56-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.

2/ ARMY AIR FORCES BASIC TRAINING CENTER.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

[illegible]

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 18
WEEK ENDING 3 May 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Kilmer, Cp., N. J.	1771	883	Kilmer, Cp., N. J.	1749	877	Knox, Ft., Ky. 3/	83	62
Buckley Field, Colo.	1391	1222	Buckley Field, Colo.	1288	1127	Buckley Field, Colo.	63	69
Eustis, Ft., Va. 1/	1029	1139	Eustis, Ft., Va. 1/	970	1105	Amarillo AAF, Tex.	46	30?
Stoneman, Cp., Calif.	1014	957	Stoneman, Cp., Calif.	945	910	Aberdeen Prov. Grd., Md. 1/	44	69
Aberdeen Prov. Grd., Md. 1/	977	988	Aberdeen Prov. Grd., Md. 1/	937	964	Crowder, Cp., Mo. 1/	39	85
Polk, Cp., La. 1/	937	1040	Polk, Cp., La. 1/	860	994	Lee, Cp., Va. 1/	31	51
Amarillo AAF, Tex.	875	977	Amarillo AAF, Tex.	815	909	Lewis, Ft., Wash. 1/ 4/	26	11
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Buckley Field, Colo.	442	624	Crowder, Cp., Mo. 1/	116 (68)	77 (77)	Buckley Field, Colo.	47	26?
Monmouth, Ft., N. J.	404	381	McClellan, Ft., Ala. 3/	106 (97)	88 (86)	Lewis, Ft., Wash. 1/ 4/	33	11
Amarillo AAF, Tex.	364	421	McCoy, Cp., Wis.	49 (49)	33? (33?)	Aberdeen Prov. Grd., Md. 1/	31	17
Knox, Ft., Ky. 3/	348	291	Kessler Field, Miss. 2/	44 (44)	51 (51)	Polk, Cp., La. 1/	31	11?
Eustis, Ft., Va. 1/	274	287	Belvoir, Ft., Va. 1/	34 (25)	33 (14?)	Bliss, Ft., Tex. 3/ 4/	30	14?
Crowder, Cp., Mo. 1/	249	254	Lee, Cp., Va. 1/	32 (31)	19 (15)	San Antonio AAF, Tex.	13	25
Scott Field, Ill.	228	232	Aberdeen Prov. Grd., Md. 1/	31 (31)	22 (22)	No Other Stations With Six Or More Cases		
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000					
Kilmer, Cp., N. J.	830	312	Buckley Field, Colo.	103	95			
Stoneman, Cp., Calif.	291	216	Campbell, Cp., Ky.	85	28			
Jackson, Ft., S. C.	281	211	Dayton, Ohio AAF Tech. Base	83	35?			
Benning, Ft., Ga.	240	234	Polk, Cp., La. 1/	77	46			
Lawton, Ft., Wash.	165	97	Scott Field, Ill.	76	22			
Geo. G. Meade, Ft., Md. 4/	135	181	Westover Field, Mass.	71	26?			
Eustis, Ft., Va. 1/	132	189	Stoneman, Cp., Calif.	69	47			

*Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

**Figures in parentheses are rates for atypical pneumonia only.
1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

FORM SG-396E Rev. 24 April 1946

RESTRICTED

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 18

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

WEEK ENDING 3 May 1946

<p><u>SMALL POX (1)</u></p> <p>1-Pasadena, Calif. (RH)</p>	<p><u>DIPHTHERIA (3)</u></p> <p>1-Crowder, Cp., Mo. 1-Jefferson Hqs., Mo. 1-Dibble GH, Calif.</p>	<p><u>AMEBIC DYSENTERY (11)</u></p> <p>1-Waltham, GH, Mass. 1-Mason GH, N. Y. 1-George G. Meade, Ft., Md. 1-Shelby, Cp., Miss. 1-McCoy, Cp., Wis. 1-O'Reilly GH, Mo. 2-San Houston, Ft., Texas 1-Douglas, Ft., Utah 1-MacArthur, Ft., Calif. 1-San Francisco, Presidio, Cal.</p>	<p><u>SCABIES (29)</u></p> <p>29-Dix, Ft., N. J. TREATED AS OUT-PATIENTS 450-Dix, Ft., N. J. 3-Hamilton, Ft., N. Y. 1437-Kilmer, Cp., N. J.</p>	<p><u>ANKYLOSTOMIASIS (2)</u></p> <p>2-Brooke GH, Texas</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p><u>STREPTOCOCCAL SORE THROAT</u></p> <p>12-Bliss, Ft., Texas 19-Sheppard Field, Texas</p> <p><u>GERMAN MEASLES</u></p> <p>22-Eustis, Ft., Va. 21-Lee, Cp., Va. 11-Keesler Field, Miss. 14-McClellan, Ft., Ala. 38-Knox, Ft., Ky. 15-Jos. T. Robinson, Cp. Ark. 23-Polk, Cp., La. 47-Lewis, Ft. Wash</p>
<p><u>COCCIDIOIDOMYCOSIS (1)</u></p> <p>1-Ord, Ft., Calif.</p>	<p><u>UNDULANT FEVER (1)</u></p> <p>1-Pasadena, Calif. (RH)</p>				
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <p>Crowder, Cp., Mo.</p>					<p><u>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p> <p>1-Halloran GH, N. Y. 1-Brooke GH, Texas</p>

FORM 56-902 - 8 July 1944


RESTRICTED

ANALYSIS OF VENEREAL DISEASE DATA

This report, covering the five-week period ended 29 March 1946, presents an analysis of incidence of the venereal diseases among colored males and all other personnel for all units in the continental United States which submit Statistical Health Reports (WD AGO Form 8-122). Data are shown for individual stations where the colored male strength was 1000 or more; for other units in each service command the data are shown in total only.

The term "admissions" as applied to venereal diseases in this report includes not only cases "excused from duty" for at least one day (that is, remaining in a medical activity at midnight on the day of admission), but also cases treated on a duty status ("carded for record only"). Other cases are, in general, reported as "admissions" on WD AGO Form 8-122 only when excused from duty. During February about 5300 cases of venereal disease, or 59 per cent of the reported venereal disease "new not-EPTS" admissions, were carded for record only; in March, about 7100 cases, or 61 per cent of the reported "new not-EPTS" admissions were treated on a duty status. (Since very few, if any, cases of syphilis are treated on a duty status, carded-for-record-only cases are, by and large, personnel suffering from gonorrhea and other venereal diseases. Carded-for-record-only cases in February and March represented about 75 per cent of the reported admissions for these causes.)

The average daily number of personnel not performing duty because of a venereal disease in March was 1.04 per 1000 troops; among white troops, this rate was 0.49 per 1000; among colored troops, 6.58 per 1000. (See chart on this page.)




MORBIDITY FROM VENEREAL DISEASES

TOTAL ARMY

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

COLORED MALES

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




ANALYSIS OF VENEREAL DISEASE DATA

The average weekly number of admissions for EPTS venereal diseases during March was 142, as compared with 155 cases a week in February. The chart on this page shows the ratio of Army inductees having venereal diseases to the total number of Army inductees in each month since June of 1944.

Generally speaking, reported morbidity from "new not-EPTS" venereal diseases increased during March for both white and colored troops; only for venereal diseases other than syphilis and gonorrhea are decreases to be observed. An increase of 25 per cent over February's rate is noted during March in the admission rate for gonorrhea in all personnel; this rate increased in all service commands, with sharpest upward movements (36 per cent and 58 per cent, respectively) over February morbidity noted in the Fourth and Ninth Service Commands. Among white troops a slight decrease in the admission rate for gonorrhea occurred in the Third Service Command, (38 per 1000 troops per annum in February to 37 in March), while the rate for colored troops moved downward in the Military District of Washington (500 in February to 339 in March).

Admissions per 1000 troops per annum for "new not-EPTS" syphilis numbered 14 in March, 11 in February; such admissions among white troops in March numbered 7 (6 in February). Among colored troops the admission rate for syphilis moved from 74 in February to 85 in March. Highest morbidity from syphilis among white troops was reported from the Second Service Command, among colored troops, from the Sixth.

VENEREAL DISEASES AMONG INDUCTEES
"EPTS" CASES PER 1000 INDUCTEES



VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES
TOTAL ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 18

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	1.02	1.01	1.04									
FIRST SERVICE COMMAND	1.93	2.47	2.76									
SECOND SERVICE COMMAND	1.42	1.38	1.44									
THIRD SERVICE COMMAND	1.33	.83	.89									
MIL.DIST.OF WASHINGTON	.41	.63	.64									
FOURTH SERVICE COMMAND	.93	1.09	1.19									
FIFTH SERVICE COMMAND	1.11	1.39	1.42									
SIXTH SERVICE COMMAND	.64	.58	.75									
SEVENTH SERVICE COMMAND	.93	.72	.41									
EIGHTH SERVICE COMMAND	.74	.68	.81									
NINTH SERVICE COMMAND	1.01	.99	.92									
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	56840	49175	53322									
FIRST SERVICE COMMAND	3957	4210	4547									
SECOND SERVICE COMMAND	7482	6355	7019									
THIRD SERVICE COMMAND	6767	4018	4928									
MIL.DIST.OF WASHINGTON	564	871	1089									
FOURTH SERVICE COMMAND	10440	10802	12471									
FIFTH SERVICE COMMAND	4552	4793	5322									
SIXTH SERVICE COMMAND	2191	1725	2303									
SEVENTH SERVICE COMMAND	4467	2969	1696									
EIGHTH SERVICE COMMAND	6656	5330	6753									
NINTH SERVICE COMMAND	9764	8102	7194									

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 18

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	6.97	6.77	6.58									
FIRST SERVICE COMMAND	19.11	26.34	40.85									
SECOND SERVICE COMMAND	12.10	13.60	11.71									
THIRD SERVICE COMMAND	10.50	4.21	4.72									
MIL.DIST.OF WASHINGTON	11.21	13.50	8.42									
FOURTH SERVICE COMMAND	5.71	6.47	5.95									
FIFTH SERVICE COMMAND	3.96	11.60	15.23									
SIXTH SERVICE COMMAND	12.50	9.02	13.54									
SEVENTH SERVICE COMMAND	5.06	3.90	2.50									
EIGHTH SERVICE COMMAND	5.36	4.72	5.37									
NINTH SERVICE COMMAND	5.87	5.74	4.75									
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	28665	26992	30533									
FIRST SERVICE COMMAND	1707	1826	2043									
SECOND SERVICE COMMAND	3817	3712	3982									
THIRD SERVICE COMMAND	4576	2466	3371									
MIL.DIST.OF WASHINGTON	374	611	805									
FOURTH SERVICE COMMAND	7424	8028	9156									
FIFTH SERVICE COMMAND	852	2166	2308									
SIXTH SERVICE COMMAND	785	598	977									
SEVENTH SERVICE COMMAND	1656	1043	605									
EIGHTH SERVICE COMMAND	3529	3040	3843									
NINTH SERVICE COMMAND	3945	3502	3443									

* BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENERAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 18

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.69	.49	.49									
FIRST SERVICE COMMAND	1.15	1.45	1.57									
SECOND SERVICE COMMAND	.74	.61	.67									
THIRD SERVICE COMMAND	.47	.36	.32									
MIL.DIST.OF WASHINGTON	.14	.19	.18									
FOURTH SERVICE COMMAND	.31	.32	.37									
FIFTH SERVICE COMMAND	.95	.81	.84									
SIXTH SERVICE COMMAND	.42	.39	.44									
SEVENTH SERVICE COMMAND	.63	.50	.28									
EIGHTH SERVICE COMMAND	.38	.32	.38									
NINTH SERVICE COMMAND	.65	.61	.53									
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	23175	22183	22789									
FIRST SERVICE COMMAND	2250	2384	2504									
SECOND SERVICE COMMAND	3665	2643	3037									
THIRD SERVICE COMMAND	2191	1552	1557									
MIL.DIST.OF WASHINGTON	190	260	284									
FOURTH SERVICE COMMAND	3016	2774	3315									
FIFTH SERVICE COMMAND	3700	2627	3014									
SIXTH SERVICE COMMAND	1406	1127	1326									
SEVENTH SERVICE COMMAND	2811	1926	1091									
EIGHTH SERVICE COMMAND	3127	2290	2910									
NINTH SERVICE COMMAND	5819	4600	3751									

* BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 18
FOR THE 5 WEEK PERIOD ENDING 29 March 1946

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL			TOTAL ARMY	COLORED MALE	ALL OTHER		SYPHILIS			GONORRHEA			OTHER			TOTAL			TOTAL ARMY	COLORED MALE	ALL OTHER
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER					TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
TOTAL UNITED STATES	14	85	7	66	405	32	3	21	1	82	511	40	5	36	2	THIRD SERV. COMD.	17	82	7	81	383	37	3	19	1	101	484	45	3	16	1
FIRST SERV. COMD.	8	80	6	28	328	19	2	29?	1?	38	437	26	2	22?	1?	Md. Aberdeen Prov. Grd.,	4	11?	2?	73	373	24				77	384	26	1?	4?	1?
Stations Under 1000 Colored Strength	8	80	6	28	328	19	2	29?	1?	38	437	26	2	22?	1?	Eustis, Ft., Va. Md. (RH) Geo. G. Meade, Ft.,	31	98	6?	128	440	11?	9	23?	4?	168	561	21	17	58	2?
																Lee, Cp., Va. (RH)	15	46	3	79	239	18	1?	4?		95	289	21			
																Pickett, Cp., Va.	15	143	7	158	1469	81	1?	10?		174	1622	88			
SECOND SERV. COMD.	21	146	12	46	388	20	1	9	1	68	543	33	3	37	0	Stations Under 1000 Colored Strength	12	132	6	45	417	27	4	36	2	61	585	35	1?	10?	0?
Dix, Ft., N.J.	10	153	6	23	435	11				33	588	17	1?	16?	0?																
Kilmer, Cp., N.J.	77	227	44	75	272	31	0?		1?	152	499	76																			
Stations Under 1000 Colored Strength	9	58	6	52	494	23	2	20	1	63	572	30	6	84	1?	MIL. DIST. OF WASH.	7	57	4	36	339	18				43	396	22	2	23	1?
																(RH) Belvoir, Ft., Va.	11	52	7	53	355	24				64	407	31	4	31	2?
																Stations Under 1000 Colored Strength	4	71?	2?	21	296	13				25	367	15			
																FOURTH SERV. COMD.	17	81	6	106	468	43	7	36	2	130	585	51	7	40	1
																Benning, Ft., Ga.	29	62	7	134	284	34	12	26	3?	175	372	44	49	122	
																Bragg, Ft., N.C.	16	129	7	34	187	21	6	73	1?	56	389	2?	6	67	0?

FORM 38-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 18 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER
FOR THE 5 WEEK PERIOD ENDING 29 March 1946

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES					
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL								
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
(cont'd)																																		
FOURTH SERV. COMD.																			SEVENTH SERV. COMD.	5	53	3	49	299	33	1	8?	0?	55	360	36	0?	5?	0?
Greensboro AAF, N.C.	9	37	5	95	412	47				104	449	52							(RH)															
Jackson, Ft., S.C.	20	50	7	308	790	102	25	61	10	353	901	119							Crowder, Cp., Mo.	8	74	2	52	336	27	2?	20?		62	430	29			
(RH)																			Kans.															
McClellan, Ft., Ala.	8	39	1?	62	207	31	6	32		76	278	32	1?		1?				Leavenworth, Ft.,	3?	19?	2?	54	311	36				57	330	38	1?	10?	
																			Mo.															
Shelby, Cp., Miss.	51	130	13	239	598	64	21	52	7	311	780	84							Leonard Wood, Ft.,	14	45?	5	72	181	42				86	226	47	4?	9?	2?
Tuskegee AAF, Ala.	24?	25?		206	214					230	239																							
																			Stations Under 1000															
Colored Strength	15	151	7	82	728	43	3	30	1	100	909	51	3	33	1				Colored Strength	4	49	3	44	313	35	0?		1?	48	362	39	0?	5?	0?
																			EIGHTH SERV. COMD.	12	69	6	58	361	29	2	13	1	72	443	36	6	50	1
FIFTH SERV. COMD.	15	168	9	48	308	38	3	43	1	66	519	48	26	255	16				Chaffee, Cp., Ark.	24	138	14	14	57	10	3?	16?	2?	41	211	26	30	292	5
																			New Orleans PoE, La.	22	56	4?	188	441	50	12	35		222	532	54			
Atterbury, Cp., Ind.	23	302	13	25	217	18	4	54	2	52	573	33	73	805	45				Sam Houston, Ft., Tex.	16	207	5	78	885	29				94	1092	34	22	332	3
Knox, Ft., Ky.	12	98	8	38	245	27	2	39?	1?	52	382	36	4	20?	3				Sheppard Field, Tex.	5	12	3	29	99	9				34	111	12	2	9	0?
Stations Under 1000																			Stations Under 1000															
Colored Strength	11	114	7	70	407	56	2	38	0?	83	559	63							Colored Strength	10	93	6	53	520	33	1	14	1	64	627	40	1	15	1
SIXTH SERV. COMD.	13	252	7	42	697	26	1	20?	1	56	969	34	0?	5?	0?																			
Stations Under 1000																																		
Colored Strength	13	252	7	42	697	26	1	20?	1	56	969	34	0?	5?	0?																			

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 18

FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER

FOR THE 5 WEEK PERIOD ENDING 29 March 1946

[illegible]

FORM SG-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

